



NETROPY 4.0

RESTFUL API

QUICK REFERENCE GUIDE



APPOSITE  
— TECHNOLOGIES

# 1 OVERVIEW

---

**Objective:** To use the RESTful API to interface with the Aposite Netropy WAN emulation products.

**Assumptions:** The reader of the document is familiar with using the Netropy product. User also understands RESTful API and how to interface using `curl -b /tmp/auth.cookie -b /tmp/auth.cookie`, `libcurl -b /tmp/auth.cookie -b /tmp/auth.cookie`, or any other programming language that can interface to REST. Reader understands that this guide is not a complete API document but a guide to get started.


**This Example:** This document uses the Curl Command line as an example to interface to the RESTful API. Using `curl -b /tmp/auth.cookie` most programmers should be able to translate the commands to their preferred programming language.

## API Information:

**Port:** 8000

**Format:** JSON

**Commands:** GET, POST, PATCH, DELETE



# 2 CREATING THE COOKIE

---

Netropy's RESTful API requires cookie authentication. Before you send any command you will need to authenticate.

## Authenticating to the Netropy

```
curl -c /tmp/auth.cookie -X POST -d 'username=admin' -d 'password=mypassword' http://192.168.65.100/login
```

Response:

```
{  
  
  "user": "admin"  
}
```

The cookie `/tmp/auth_cookie` will time out after 15 minutes of idle time. This cookie remains valid as long as the cookie does not time out. All API calls bellow will now reference the `"/tmp/auth_cookie"` file in the Curl Command examples.

# 3 GET NETROPY INFORMATION

---

## Gather Administration Information:

```
curl -b /tmp/auth.cookie -X GET "http://192.168.65.100/api/apposite-netropy-system:admin" -H "accept: application/json"
```

### Response:

```
{
  "apposite-netropy-system:admin": {
    "network-settings": {
      "revision": 0,
      "hostname": "netropy",
      "dhcp": true,
      "address": "10.0.0.10",
      "netmask": "255.0.0.0",
      "ipv6-enabled": false,
      "dns": [
        "8.8.8.8",
        "8.8.4.4"
      ],
      "ntp": [],
      "ldap": false
    },
    "users": {
      "user": [
        {
          "name": "admin"
        }
      ]
    },
    "ethernet-settings": {
      "port": [
        {
          "id": "PORT_1",
          "hardware": "ETHERNET_VIRTUAL",
          "duplex": "autonegotiate",
          "flow-control": "none"
        },
        {
          "id": "PORT_2",
          "hardware": "ETHERNET_VIRTUAL",
          "duplex": "autonegotiate",
          "flow-control": "none"
        }
      ]
    },
    "network-status": {
      "address": {
```

```
    "value": "192.168.65.100/255.255.255.0",
    "dhcp": false
  },
  "gateway": {
    "value": "192.168.184.2",
    "dhcp": false
  },
  "ipv6": {
    "dhcp": false
  },
  "domain": {
    "dhcp": false
  },
  "dns": {
    "value": "8.8.8.8 8.8.4.4",
    "dhcp": false
  },
  "ntp": {
    "value": "time.google.com",
    "dhcp": false
  }
},
"firmware": {
  "version": "4.0-beta-rc34"
},
"license-key": {
  "sn": "VN-42A7A21C9A",
  "expiration": "No Operational License",
  "bandwidth": 0
}
}
```

## Gather Network Information:

```
curl -b /tmp/auth.cookie -X GET "http://192.168.65.100/api/apposite-netropy-system:admin/network-status" -H "accept: application/json"
```

### Response:

```
{
  "network-status": {
    "address": "192.168.65.100",
    "netmask": "255.255.255.0",
    "gateway": "192.168.184.1",
    "domain": "apposite-tech.com",
    "dns": [
      "8.8.8.8",
      "192.168.184.1"
    ],
    "ntp": [
      "us.pool.ntp.org"
    ]
  }
}
```

## Gather License Information:

```
curl -b /tmp/auth.cookie -X GET "http://192.168.65.100/api/apposite-netropy-system:admin/license-key" -H "accept: application/json"
```

### Response:

```
{  
  "license-key": {  
    "sn": "VN-42A7A21C9A",  
    "expiration": "2019-06-01 23:59:59 UTC",  
    "bandwidth": 1000000000  
  }  
}
```

# 4 PATH COMMANDS

---

## Gather Path Information:

```
curl -b /tmp/auth.cookie -X GET "http://192.168.65.100/api/apposite-wan-emulator:engine/1/path" -H "accept: application/json"
```

### Response:

```
{
  "path": [
    {
      "id": 1,
      "engine": 1,
      "index": 4,
      "label": "Path 1",
      "capacity": "10G",
      "source": {
        "outbound": {
          "mode": "single",
          "bandwidth": {
            "rate": "1",
            "metric": "Gbps"
          }
        }
      },
      "destination": {
        "outbound": {
          "mode": "single",
          "bandwidth": {
            "rate": "1",
            "metric": "Gbps"
          }
        }
      },
      "wan": {
        "source-to-destination": {
          "delay": {
            "method": "constant",
            "reordering": false,
            "constant": {
              "latency": "35"
            }
          }
        },
        "destination-to-source": {
          "delay": {
            "method": "constant",
            "reordering": false,
            "constant": {
              "latency": "35"
            }
          }
        }
      }
    }
  ]
}
```

```

    }
  }
},
  "apposite-netropy-system:capacity": "1G"
}
]
}

```

Explanation of feedback:

- Path ID: This is the number of the path; you will use this number when creating endpoints
- Engine: This path was created on the first engine of the emulator
- Label: The name of the path; in this example the name is "Path 1"
- Source: (Port 1) is set to 1Gb
- Destination: (Port 2) is set to 1Gb
- WAN
  - Constant delay of 35ms in both directions
- The Netropy is rated for 1Gb speeds

## Creating A Simple Path:

Example JSON file that creates a path with the following settings:

- Engine number: 1
- Path number: 2
- Named: Lab Path 2
- Bandwidth: 1Gbps

Example of path\_create.json file:

```

{
  "engine": 1,
  "id": 2,
  "label": "Lab Path 2",
  "source": {
    "outbound": {
      "mode": "single",
      "bandwidth": {
        "rate": 1,
        "metric": "Gbps"
      }
    }
  },
  "destination": {
    "outbound": {
      "mode": "single",
      "bandwidth": {
        "rate": 1,
        "metric": "Gbps"
      }
    }
  }
}

```



## Curl command:

Save this file as path\_create.json and use curl -b /tmp/auth.cookie to create the path:

```
curl -b /tmp/auth.cookie -X POST " http://192.168.65.100/api/apposite-wan-emulator:engine/1/path" -H "content-type: application/json" -d@path_create.json
```

## Create A Path with Jitter and Bandwidth Throttling:

- Engine number: 1
- Path number: 4
- Named: Delay Test
- Bandwidth:
  - 200Mps on port 1
  - 50Mbps on port 2
- Delay Constant:
  - 50ms on source port
  - 70ms on destination port

## Example of 250mbps.json:

```
{
  "engine": 1,
  "id": 4,
  "label": "Delay Test",
  "source": {
    "outbound": {
      "mode": "single",
      "bandwidth": {
        "rate": 200,
        "metric": "Mbps"
      }
    }
  },
  "destination": {
    "outbound": {
      "mode": "single",
      "bandwidth": {
        "rate": 50,
        "metric": "Mbps"
      }
    }
  },
  "wan": {
    "source-to-destination": {
      "delay": {
        "method": "constant",
        "reordering": false,
        "constant": {
          "latency": 50
        }
      }
    },
    "destination-to-source": {
```

```
    "delay": {
      "method": "constant",
      "reordering": false,
      "constant": {
        "latency": 70
      }
    }
  }
}
```

## Curl Command:

Save this as 250mbps.json and use the following curl command to submit:

```
curl -b /tmp/auth.cookie -X POST " http://192.168.65.100/api/apposite-wan-emulator:engine/1/path" -H "content-type: application/json" -d@250mbps.json
```

## Deleting a Path:

This example deletes path 2 on the Netropy:

```
curl -b /tmp/auth.cookie -X DELETE " http://192.168.65.100/api/apposite-wan-emulator:engine/1/path/2" -H "accept: application/json"
```

## Response:

```
{
  "path": {
    "id": 2,
    "engine": 1,
    "index": 9,
    "label": "Path 2",
    "capacity": "10G",
    "source": {
      "outbound": {
        "mode": "single",
        "bandwidth": {
          "rate": "1",
          "metric": "Gbps"
        }
      }
    },
    "destination": {
      "outbound": {
        "mode": "single",
        "bandwidth": {
          "rate": "1",
          "metric": "Gbps"
        }
      }
    }
  },
  "wan": {
    "source-to-destination": {
      "delay": {
        "method": "constant",
        "reordering": false,

```

```

    "constant": {
      "latency": "35"
    }
  },
  "destination-to-source": {
    "delay": {
      "method": "constant",
      "reordering": false,
      "constant": {
        "latency": "35"
      }
    }
  },
  "opposite-netropy-system:capacity": "1G"
}
}

```

## Updating a Path:

- Updating source to destination latency to 35 ms
- Updating destination to source latency to 45 ms

## Example update.json file:

```

{
  "wan":{
    "source-to-destination":{
      "delay":{
        "method":"constant",
        "reordering":false,
        "constant":{
          "latency":35
        }
      }
    }
  },
  "destination-to-source":{
    "delay":{
      "method":"constant",
      "reordering":false,
      "constant":{
        "latency":45
      }
    }
  }
}
}

```

## Curl Command:

```

curl -b /tmp/auth.cookie -X PATCH " http://192.168.65.100/api/opposite-wan-emulator:engine/1/path/2" -H "content-type: application/json" -d@update.json

```

# 5 ENDPOINT COMMANDS

---

## Gather Endpoint Information:

```
curl -b /tmp/auth.cookie -X GET "http://192.168.65.100/api/apposite-wan-emulator:engine/1/endpoint" -H "accept: application/json"
```

### Response:

```
{
  "endpoint": [
    {
      "id": "05e85393-3764-45d8-a9a6-cc07fcac5800",
      "engine": 1,
      "action": "1",
      "label": "Client-1",
      "port": 1,
      "ipaddrs": [
        "10.10.1.1"
      ],
      "protocol": "tcp"
    },
    {
      "id": "963d3f7f-c4e2-4822-b339-70790f19616c",
      "engine": 1,
      "action": "1",
      "label": "Server-2",
      "port": 2,
      "ipaddrs": [
        "10.10.2.2"
      ],
      "protocol": "tcp"
    }
  ]
}
```

This response shows that there are:

- 2 Endpoints
- On engine 1
- Named Client-1 with:
  - Connection to path/action 1
  - Port 1
  - With the IP address of: 10.10.1.1
- Named Server-2 with:
  - Connection to path/action 1
  - Port 2
  - With the IP address of: 10.10.2.2

## Creating an Endpoint with an IP Address:

Example JSON file that creates an endpoint with the following settings:

- Name: My Endpoint
- On engine 1
- Path/action 2
- Port 2
- IP Address: 10.10.10.99

Example of endpoint.json:

```
{
  "label": "My Endpoint",
  "engine": 1,
  "port": 2,
  "ipaddrs": [
    "10.10.10.99"
  ],
  "action": "2",
  "protocol": "tcp"
}
```

Curl Command:

```
curl -b /tmp/auth.cookie -X POST " http://192.168.65.100/api/apposite-wan-emulator:engine/1/endpoint" -H "content-type: application/json" -d@endpoint.json
```

Response:

```
{
  "endpoint": [
    {
      "id": "b7dfe4c9-51d8-431e-a4f4-11dc6644b311",
      "engine": 1,
      "action": "2",
      "label": "My Endpoint",
      "port": 2,
      "ipaddrs": [
        "10.10.10.99"
      ],
      "protocol": "tcp"
    }
  ]
}
```

## Creating an Endpoint IP Subnet:

Example JSON file that creates an endpoint for a network of IPS:

- Name: Private 172 Network
- Engine: 1
- Path/Action: 1
- Port: 1
- IP Addresses: 172.16.0.0/16

## Example of 172network.json:

```
{
  "label": "Private 172 Network",
  "engine": 1,
  "port": 1,
  "ipaddrs": [
    "172.16.0.0/16"
  ],
  "action": "1",
  "protocol": "tcp"
}
```

## Curl Command:

```
curl -b /tmp/auth.cookie -X POST " http://192.168.65.100/api/apposite-wan-emulator:engine/1/endpoint" -H "content-type: application/json" -d@172network.json
```

## Response:

```
{
  "label": "Private 172 Network",
  "engine": 1,
  "port": 1,
  "address": [
    "172.16.0.0/16"
  ],
  "action": "1",
  "protocol": "tcp"
}
```

## Creating an Endpoint VLAN Network:

Example JSON file that creates an endpoint for VLAN 4012:

- Name: VLAN 4012 Network
- Engine: 1
- Path/Action: 1
- Port: 1
- VLAN: 4012

## Example of 4012vlan.json:

```
{
  "engine": 1,
  "action": "1",
  "label": "VLAN 4012 Network",
  "port": 1,
  "vlan": [
    4012
  ],
  "protocol": "tcp"
}
```

## Curl Command:

```
curl -b /tmp/auth.cookie -X POST " http://192.168.65.100/api/apposite-wan-emulator:engine/1/endpoint" -H "content-type: application/json" -d@4012vlan.json
```

## Response:

```
{
  "endpoint": [
    {
      "id": "4b6d2a90-8ea1-4356-9e49-5fe409036c4f",
      "engine": 1,
      "action": "1",
      "label": "VLAN 4012 Network",
      "port": 1,
      "vlan": [
        4012
      ],
      "protocol": "tcp"
    }
  ]
}
```

## Creating an Endpoint for TCP Port:

Example JSON that creates an endpoint for TCP port 443:

- Name: Port 443 Endpoint
- Engine: 1
- Path/Action: 3
- Port: 1
- Protocol: tcp
- Port: 443

## Example of port443endpoint.json:

```
{
  "engine": 1,
  "action": "3",
  "label": "Port 443 endpoint",
  "port": 1,
  "protocol": "tcp",
  "transports": [
    443
  ]
}
```

## Curl Command:

```
curl -b /tmp/auth.cookie -X POST "http://192.168.65.100/api/apposite-wan-emulator:topology/endpoint" -H "content-type: application/json" -d@porte443ndpoint.json
```

## Response:

```
{
  "endpoint": [
    {
      "id": "60c00d74-b4be-4578-8b52-edd68870cad4",
      "engine": 1,
      "action": "3",
      "label": "Port 443 Endpoint",
      "port": 1,
      "protocol": "tcp",
      "transports": [
        443
      ]
    }
  ]
}
```

## Deleting an Endpoint:

You will need the "id" of the endpoint you want to delete. To obtain the id please see "Gathering endpoint information."

```
curl -b /tmp/auth.cookie -X DELETE "http://192.168.65.100/api/apposite-wan-emulator:engine/1/endpoint/61ecb6b6-829f-4258-97c0-8b5d6e7d140c" -H "accept: application/json"
```

## Response:

```
{
  "endpoint": null
}
```



# 6 GATHERING STATISTICS

---

## Gathering Current throughput rate:

```
curl -b /tmp/auth.cookie -X POST "http://192.168.65.100/api/apposite-wan-emulator:engine/1/history" -H "accept: application/json" -H "Content-Type: application/json" -d@engineone.json
```

Example of engineone.json:

```
{
  "paths": 2,
  "metrics": "overall-rate, wan-drops "
}
```

Response:

```
{
  "engine": 1,
  "current": 602,
  "data": [
    {
      "index": 1,
      "direction": "a-to-b",
      "metric": "overall-rate",
      "start": 602,
      "end": 602,
      "values": [
        100001040
      ]
    },
    {
      "index": 1,
      "direction": "b-to-a",
      "metric": "overall-rate",
      "start": 602,
      "end": 602,
      "values": [
        2266880
      ]
    }
  ]
}
```

## Gathering Current Statistic Summary:

```
curl -b /tmp/auth.cookie -X POST "http://192.168.65.100/api/apposite-wan-emulator:engine/1/summary" -H "accept: application/json" -H "Content-Type: application/json" -d@stat-summary.json
```

Example of stat-summary.json:

```
{
  "paths": [0,1,2]
}
```

Response:

```
{
  "engine": 1,
  "origin": 1568059264,
  "current": 817,
  "flow": [
    {
      "index": 1,
      "direction": "a-to-b",
      "first": 18,
      "rate": 0,
      "frames": 1937875,
      "bytes": 2940311890,
      "drops": 2940311890,
      "inflow": {
        "rate": 0,
        "frames": 1937875,
        "bytes": 2940311890,
        "queue": {
          "frames": 0,
          "bytes": 0,
          "drops": 0
        },
        "background": {
          "frames": 0,
          "bytes": 0,
          "drops": 0
        }
      },
      "wan": {
        "drops": 0,
        "duplicates": 0,
        "reorders": 0,
        "corruptions": 0
      },
      "outflow": {
        "rate": 0,
        "frames": 0,
        "bytes": 0,
        "queue": {
          "frames": 0,
          "bytes": 0,
          "drops": 0
        },
        "background": {
          "frames": 0,
          "bytes": 0,
          "drops": 0
        }
      }
    }
  ],
  {

```

```

    "index": 1,
    "direction": "b-to-a",
    "first": 18,
    "rate": 0,
    "frames": 935193,
    "bytes": 65460477,
    "drops": 65460477,
    "inflow": {
      "rate": 0,
      "frames": 935193,
      "bytes": 65460477,
      "queue": {
        "frames": 0,
        "bytes": 0,
        "drops": 0
      },
      "background": {
        "frames": 0,
        "bytes": 0,
        "drops": 0
      }
    },
    "wan": {
      "drops": 0,
      "duplicates": 0,
      "reorders": 0,
      "corruptions": 0
    },
    "outflow": {
      "rate": 0,
      "frames": 0,
      "bytes": 0,
      "queue": {
        "frames": 0,
        "bytes": 0,
        "drops": 0
      },
      "background": {
        "frames": 0,
        "bytes": 0,
        "drops": 0
      }
    }
  }
}
]
}

```

## Gathering Statistics from a Specific Time to Present:

```

curl -b /tmp/auth.cookie -X POST "http://192.168.65.100/api/apposite-wan-emulator:engine/1/history" -H "accept: application/json" -H
"Content-Type: application/json" -d@from-time.json

```

### Example of from\_time.json:

```

{
  "paths": [ 2 ],
  "metrics": [
    "overall-rate"
  ],
}

```

```
"from": 1569965572,  
"to": 1569965582  
}
```

## Response:

```
{  
  "record": [  
    {  
      "time": 1569965572,  
      "index": 2,  
      "direction": "a-to-b",  
      "data": {  
        "overall-rate": 6011280  
      }  
    },  
    {  
      "time": 1569965573,  
      "index": 2,  
      "direction": "a-to-b",  
      "data": {  
        "overall-rate": 5999136  
      }  
    },  
    {  
      "time": 1569965574,  
      "index": 2,  
      "direction": "a-to-b",  
      "data": {  
        "overall-rate": 5999136  
      }  
    },  
    {  
      "time": 1569965575,  
      "index": 2,  
      "direction": "a-to-b",  
      "data": {  
        "overall-rate": 5999136  
      }  
    },  
    {  
      "time": 1569965576,  
      "index": 2,  
      "direction": "a-to-b",  
      "data": {  
        "overall-rate": 5999136  
      }  
    },  
    {  
      "time": 1569965577,  
      "index": 2,  
      "direction": "a-to-b",  
      "data": {  
        "overall-rate": 5999136  
      }  
    },  
    {  
      "time": 1569965578,  
      "index": 2,  
      "direction": "a-to-b",  
      "data": {  
        "overall-rate": 5999136  
      }  
    }  
  ]  
}
```

```
    "overall-rate": 5999136
  }
},
{
  "time": 1569965579,
  "index": 2,
  "direction": "a-to-b",
  "data": {
    "overall-rate": 5999136
  }
}
}
```