LINKTROPY MINI² Hardware Guide



Linktropy[®] Mini² Hardware Guide

Hardware Revision: P3 Documentation Version: 6 Printed December 2023

Apposite[®] Technologies LLC

4223 Glencoe Ave, Suite B121 Marina Del Rey, CA 90292 USA 1.310.477.9955 info@apposite-tech.com www.apposite-tech.com

Copyright ©2005-2024 Apposite Technologies LLC. All rights reserved. Apposite, Linktropy, and Netropy are registered trademarks of Apposite Technologies LLC. The Apposite logo and "WAN Emulation Made Easy" are trademarks of Apposite Technologies LLC.

Part No. DOC-HG-LM2-P36

CONTENTS

1	Overview	4			
2	Included Items	5			
3	Front and Rear Panels	6			
	3.1 Front Panel	6			
	3.2 Rear Panel	7			
4	Console Interface	8			
5	Apposite Support	9			
Ар	pendix A: Specifications				
Ар	Appendix B: Regulatory 1				
	Federal Communications Commission Notice	11			
	Canadian Notice / Avis Canadien	11			
	CE Certification	11			
Ар	ppendix C: Linktropy End User License Agreement				

1 OVERVIEW

This *Linktropy Mini*² *Hardware Guide* describes the physical hardware of the Linktropy Mini² WAN Emulator. The companion *User's Guide* describes the installation, configuration, and operation of the Linktropy Mini² WAN emulation functionality. A separate *Quick Start Guide* provides a walk-through for first time configuration.



The Linktropy Mini² contains no user serviceable parts. Opening the chassis voids the warranty. If you believe your unit is not functioning properly, see Section 5 for information on obtaining support.

This guide is for Linktropy Mini² hardware revision –P3.

2 INCLUDED ITEMS

The Linktropy Mini² shipping carton contains the following items:

- Linktropy Mini² hardware unit
- Linktropy Mini² Quick Start Guide
- AC power adaptor
- RS-232 DB-9 serial cable


3.1 Front Panel



The front panel of the Linktropy Mini² contains:

Power LED: Lit green when the unit is powered on. Unlit when power is off.

3.2 Rear Panel



The rear panel of the Linktropy Mini² contains:

CONSOLE: Console interface using RS-232 with a DB-9 connector.

LAN A: 10/100baseT Ethernet interface with a standard RJ-45 plug. Connects to the network segment functioning as LAN A in network emulations.


LAN B: 10/100baseT Ethernet interface with a standard RJ-45 plug. Connects to the network segment functioning as LAN B in network emulations.

MGMT: 10/100baseT Ethernet interface with a standard RJ-45 plug for browser-based management of the unit over the network.

Power input: Standard DC power jack with 2.1 mm center pin. The center pin is positive and the sleeve is ground. 7-20V DC power.

4 CONSOLE INTERFACE

Console access to the Linktropy Mini² is through the RS-232 interface on the rear panel labeled "CONSOLE." A DB-9 cable is included with the unit to connect the device to a standard PC serial port. The pin-out for the DB-9 connector is shown below:



Pin	Definition	Pin	Definition
1	DCD	6	DSR
2	RxD	7	RTS
3	TxD	8	CTS
4	DTR	9	RI
5	GND		

To connect to the console, use a terminal or a computer running terminal emulation software, and set the following parameters:

9600 baud 8 data bits No parity 1 stop bit Disable flow control Purchase of the Linktropy Mini² includes a 1 year warranty on the hardware, 1 year maintenance, and 90 days of customer support.

If you believe your unit is not functioning properly and is under warranty, please upgrade to the latest firmware release. If the problem persists, please contact Apposite Support at:

support@apposite-tech.com 1.310.477.9955 ext. 2

When contacting Apposite Support, please include the following information:

- Linktropy model
- Serial number
- > Your e-mail address and phone number
- Installed firmware version
- A detailed description of the problem



Do not attempt to fix any hardware problem yourself. The Linktropy Mini² contains no user serviceable parts. Opening the chassis voids the warranty.

APPENDIX A: SPECIFICATIONS

Capacity			
Max. Emulation Ra	te	100 Mbps full duplex	
Max. Packet Rate		80,000 packets per second with 64 byte packets	
Interfaces			
Network		2 x 10/100baseT Ethernet	
Management		1 x 10/100baseT Ethernet	
Console		1 x RS-232	
Environmental and Phy	vsical		
DC Input		7 - 20V DC power	
AC Input		100 – 240 VAC, 50 – 60 Hz with supplied AC power adaptor	
Power Draw		6 Watts	
Dimensions		6.6" W x 6.2" D x 1.2" H	
		168 mm W x 157 mm D x 30 mm H	
Weight	Product	1.1 lbs (0.5 kg)	
	Shipping	2.2 lbs (1.0 kg)	
Temperature		32° to 104°F (0° to 40°C)	
Certifications		FCC, CE, RoHS	
Warranty and Support			
Hardware warranty Software Maintenance		1 year	
		1 year	
Customer Support		90 days	

APPENDIX B: REGULATORY

Federal Communications Commission Notice

This equipment has been tested and verified to comply with the limits for a Class A digital device, pursuant to Part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Operation of this equipment in a residential area may cause harmful interference, in which case the user will be required to take whatever measures may be required to correct the interference at their own expense.

Canadian Notice / Avis Canadien

This Class A digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations.

Cet appareil numérique de la classe A respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

CE Certification

The product described in this manual complies with all applicable European Union (CE) directives including EU Directive 2002/95/EC Restriction of Hazardous Substances (RoHS).

APPENDIX C: LINKTROPY END USER LICENSE AGREEMENT

The Apposite Technologies LLC. ("Apposite") Linktropy product includes the Linktropy hardware ("Hardware"), software embedded in the Hardware ("Software") including any upgrades, modified versions, updates, additions and copies of the Software, and related explanatory materials ("Documentation"). Collectively, the Hardware, Software, and Documentation are the "Product."

Conditioned upon compliance with the terms and conditions of this Agreement, Apposite hereby grants you a nonexclusive and nontransferable license to use the Software solely as embedded on the Hardware, and to use the Documentation solely in conjunction with the Software and Hardware.

Title and Restrictions

Apposite retains all right, title and interest in the Software and Documentation. The Software and Documentation are protected by United States and international copyright and other intellectual property laws and international trade provisions. Except as otherwise expressly provided under this Agreement, you shall not directly or authorize any third party to:

- (i) copy the Software, except as necessary for archival or backup purposes only;
- (ii) transfer, assign, sublicense, rent, lease, lend, or otherwise transfer your license rights to any other person or entity;
- (iii) install or use the Software on any computing device other than the Hardware;
- (iv) modify or adapt the Software or Documentation or create derivative works based upon the Software or Documentation;
- (v) reverse engineer, disassemble, decompile, decrypt, or otherwise attempt to derive the source code of the Software, except to the extent otherwise expressly permitted under applicable law notwithstanding this restriction. To the extent required by law, and at your written request, Apposite will provide you with the interface information needed to achieve interoperability between the Software and another independently created program;
- (vi) remove, alter, cover or obfuscate any of the trademarks, trade names, logos, patent or copyright notices or markings, or add any other notices or markings to or on the Software, Documentation, or Hardware without the express written authorization of Apposite.

Limited Warranty

Apposite warrants that for a period of one (1) year from the date of shipment of the Hardware to you ("Warranty Period"), the Hardware will be free of any defects in materials and workmanship under normal use and the Software will perform substantially in accordance with the Documentation. This limited warranty extends only to the original user of the Product. This limited warranty is void if failure of the Hardware or Software to conform to the warranty has resulted from improper installation, testing, misuse, neglect, accident, fire or other hazard, or any breach of this Agreement.

Apposite and its suppliers' entire liability and your sole and exclusive remedy shall be, at Apposite's sole discretion, to (i) repair the Software or Hardware; (ii) provide replacement Hardware or Software; or (iii) refund the purchase price and terminate this Agreement. This limited warranty applies only if the product is returned to Apposite, freight and insurance prepaid, in accordance with Apposite's Return Material Authorization (RMA) procedures. Any repaired or

replaced Software or Hardware will be warranted for the remainder of the original Warranty Period or thirty (30) days, whichever is longer.

Disclaimer of Warranties

THE FOREGOING LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, AND APPOSITE DISCLAIMS ANY AND ALL IMPLIED WARRANTIES OR CONDITIONS INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF TITLE, NONINFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY BY JURISDICTION.

Limitation of Liability

REGARDLESS WHETHER ANY REMEDY SET FORTH HEREIN FAILS OF ITS ESSENTIAL PURPOSE, IN NO EVENT WILL APPOSITE OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES INCLUDING WITHOUT LIMITATION, ANY LOST PROFITS, BUSINESS INTERRUPTION, LOSS OF INFORMATION, OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY OR WHETHER ARISING OUT OF THE USE OF OR INABILITY TO USE THE PRODUCT AND EVEN IF APPOSITE OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. IN NO EVENT SHALL APPOSITE OR ITS SUPPLIERS' LIABILITY, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), BREACH OF WARRANTY, OR OTHERWISE, EXCEED THE PRICE PAID FOR THE PRODUCT. SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Term and Termination

This agreement takes effect upon your use of the software and remains effective until terminated. You may terminate it at any time by destroying all copies of the Software and Documentation in your possession. This license will terminate immediately if you fail to comply with any term or condition of this agreement. You agree on termination of this license to cease all use of the Software and Documentation. In addition, the provisions of the sections "U.S. Government Restricted Rights" and "Export" shall survive termination of this agreement.

Export

The Product including the underlying technology, is subject to U.S. export control laws, and may be subject to export or import regulations in other countries. You may not export or import the Product and the underlying technology, directly or indirectly, in violation of these laws. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required.

U.S. Government Restricted Rights

The Software and Documentation qualify as "commercial computer software" and "commercial computer software documentation" pursuant to FAR 12.212 and DFAR 227.7202. The Software and Documentation are being licensed to U.S. Government end users only as Commercial Items and with only those rights as are granted to all other end users

pursuant to the terms and conditions of this agreement.

General Provisions

This agreement will be governed by and construed in accordance with the laws of the State of California without reference to its conflicts of law provisions. This agreement shall not be governed by the United Nations Convention on Contracts for the International Sale of Goods, the application of which is expressly excluded. If for any reason a court of competent jurisdiction finds any provision, or portion thereof, to be unenforceable, the remainder of this agreement shall continue in full force and effect.

This agreement constitutes the entire agreement between the parties with respect to the Product and supersedes all prior or contemporaneous understandings regarding such subject matter, whether written or oral, and supersedes any conflicting or additional terms contained in any purchase order or elsewhere, all of which terms are excluded. No amendment to or modification of this agreement are binding unless in writing and signed by Apposite.

Third Party Acknowledgements

Portions of the Software utilize or include third party software and other copyrighted material. Acknowledgements, licensing terms and disclaimers for such material are contained in the Linktropy User's Guide, and your use of such material is governed by their respective terms. Certain third party software are free software licensed under the terms of the GNU General Public License (GPL). You may obtain a complete machine-readable copy of the source code for such free software under the terms of the GPL. The GPL software is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY, without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. A copy of the GPL is included in the product User's Guide.

Apposite[®] Technologies LLC 4223 Glencoe Ave, Suite B121 Marina Del Rey, CA 90292 USA 1.310.477.9955 info@apposite-tech.com www.apposite-tech.com